


2012 ENERGY STAR® Qualification Chart

Does your door
qualify?



Glass designs


Fiber-Classic® Mahogany Collection																			
Avonlea™	.27 / .26	.25 / .21																	.18 / .09
Avonlea™ with Impact		.26 / .18																	.23 / .13
Beveline™	.27 / .26																		.22 / .15
Blackstone®	.27 / .26	.25 / .21																	.18 / .09
Blackstone® with Impact	.29 / .23																		.23 / .13
Brookside																			.19 / .09
Concorde™	.27 / .26	.25 / .21																	.18 / .09
Crystal Diamonds™	.27 / .26	.25 / .21																	.18 / .09
Crystalline™	.27 / .26	.25 / .21																	.22 / .15
Crystalline™ with Impact	.29 / .23																		.18 / .09
Element	.27 / .26																		
Frosted Images®	.33 / .32	.29 / .25																	.20 / .09
Kensington	.27 / .26																		.20 / .09
Keystone™	.27 / .26	.25 / .21																	.18 / .09
Maple Park™	.27 / .26	.25 / .21																	.22 / .15
Maple Park™ with Impact		.26 / .18																	.18 / .09
Privacy	.27 / .26	.25 / .21																	.23 / .13
Privacy with Impact	.29 / .23	.26 / .18																	.22 / .15
Salinas®	.33 / .28	.29 / .23																	.23 / .13
Salinas® with Impact	.31 / .25	.28 / .19																	.25 / .16
Saratoga™	.27 / .26	.25 / .21																	.18 / .09
Sedona	.27 / .26	.25 / .21																	.24 / .14
Texas Star	.27 / .26	.25 / .21																	.22 / .15
Wellesley™	.27 / .26	.25 / .21																	.22 / .15
Internal Blinds	.33 / .32																		.19 / .09
Clear	.33 / .32	.29 / .21																	.18 / .09
Clear with Internal Grilles	.33 / .28																		.25 / .16
Clear with External Grilles	.33 / .32	.29 / .21																	.20 / .09
Clear with Internal & External Grilles																			.20 / .09
Clear with Impact	.31 / .27	.28 / .21																	.24 / .15
Clear with Impact & Internal Grilles	.31 / .24																		.24 / .13
Low-E	.26 / .17	.23 / .14																	.21 / .10
Low-E with Internal Grilles	.26 / .15																		.21 / .09
Low-E with External Grilles	.26 / .17	.23 / .14																	.18 / .05
Low-E with Internal & External Grilles	.26 / .15																		.18 / .05
Low-E with Impact	.25 / .19	.23 / .15																	.20 / .11
Low-E with Impact & Internal Grilles	.25 / .17																		.20 / .10
Solid Panel (includes all paneling designs)																			.14 / .01

Boxes left blank indicate this is not a Therma-Tru product offering.

KEY	Indicates Product is Energy Star Qualified	Numbers: U-Factor / Solar Heat Gain Coefficient
	Indicates Product is Not Energy Star Qualified	X: Indicates Product Information is Not Available

2012 ENERGY STAR® Qualification Chart

Does your door
qualify?



Glass designs

8 FOOT SECTION																			
Traditions Steel (wood edge)																			
Avonlea™																			
Avonlea™ with Impact																			
Blackstone®	.27 / .26																		
Blackstone® Impact	.29 / .23																		
Concorde™	.27 / .26																		
Crystal Diamonds™																			
Crystalline™	.27 / .26																		
Crystalline™ Impact	.29 / .23																		
Element																			
Frosted Images®	.33 / .32																		
Kensington																			
Keystone™																			
Maple Park™																			
Maple Park™ with Impact																			
Privacy	.27 / .26																		
Privacy w/ Impact	.29 / .23																		
Salinas®	.33 / .29																		
Salinas® Impact	.32 / .25																		
Saratoga™																			
Sedona																			
Texas Star																			
Wellesley™	.27 / .26																		
Internal Blinds	.33 / .32																		
Clear	.35 / .32																.21 / .09		
Clear with Internal Grilles	.33 / .28																		
Clear with External Grilles	.33 / .32																		
Clear with Internal & External Grilles																			
Clear with Impact	.32 / .27																		
Clear with Impact & Internal Grilles	.32 / .24																		
Low-E	.30 / .18																.19 / .05		
Low-E with Internal Grilles	.26 / .15																		
Low-E with External Grilles	.30 / .18																		
Low-E with Internal & External Grilles	.26 / .15																		
Low-E with Impact	.25 / .19																		
Low-E with Impact & Internal Grilles	.25 / .17																		
Solid Panel (includes all paneling designs)																			.14 / .00

All fire doors that are steel 90-minute-rated or fiberglass 20-minute-rated do not qualify

All Fiber-Classic Designline products (raised panel) do not qualify

Boxes left blank indicate this is not a Therma-Tru product offering.

KEY	Indicates Product is Energy Star Qualified	Numbers: U-Factor / Solar Heat Gain Coefficient
	Indicates Product is Not Energy Star Qualified	X: Indicates Product Information is Not Available